Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1507	glyph	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 10:00
S2	66	glyph and ((arrang\$3 display\$3 structure) with (glyph) with (instruction command action relationship))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 10:20
S3	43	(glyph and ((arrang\$3 display\$3 structure) with (glyph) with (instruction command action relationship))) and color	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 10:03
S4	81	((arrang\$3 display\$3 structure) with (glyph) with (instruction command action relationship process scenario)) and (manufactur\$3 material instrument\$6 supply parts)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 10:58
S5	917	(345/835 345/839 345/865).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 10:45
S6	14	((345/835 345/839 345/865).ccls.) and glyph	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 10:45
S7	26	((345/835 345/839 345/865).ccls.) and ((represent\$5 arrang\$3 display\$3 structure) with (glyph symbol) with (instruction command action relationship process scenario)) and (manufactur\$3 material instrument\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 10:59
S8	17	("5049873" "5226120" "5261044" "5285494" "5295244" "5394522" "5483631" "5521913" "5548722" "5606664" "5627964" "5627978" "5724511" "5751965" "5768614" "5793845" "5819042").PN.	USPAT	OR	OFF	2004/06/07 13:31
S 9	1	(user) with (enter\$3 input\$4) with (instruction command) with (translat\$3) with (glyph)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:29

			γ			
S10	431402	(translat\$3) (instruction command input)with (glyph symbol picture pictograph\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:32
S11	8	(user) with (enter\$3 input\$4) with (instruction command) with (translat\$3) with (glyph symbol picture pictograph\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:30
S12	568	(translat\$3) with (instruction command input)with (glyph symbol picture pictograph\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:32
S13	133	(translat\$3) with (instruction command input)with (glyph picture pictograph\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:32
S14	13	(translat\$3) with (instruction command input)with (glyph)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:34
S15	11739	(translat\$3 select\$3) with (instruction command input)with (glyph picture pictograph symbol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:35
S16	77	(translat\$3 select\$3) with (instruction command input)with (glyph)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:37
S17	0	((translat\$3 select\$3) with (instruction command input)with (glyph)) and "345".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:37
S18	1	((translat\$3 select\$3) with (instruction command input)with (glyph)) and (345/835 345/839 345/865).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 14:37
S19	183	(345/771).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 15:27
S20	9	((345/771).ccls.) and ((arrang\$3 display\$3 structur\$3) with (input instruction command) with (glyph picture symbol picto\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 15:28

C24		(((245/771) colo) and ((amon = ±2)	LIC DCDLID	OB	ON	2004/05/07 47
S21	9	(((345/771).ccls.) and ((arrang\$3 display\$3 structur\$3) with (input instruction command) with (glyph picture symbol picto\$6))) and (material instrument device supply action)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 15:44
S22	151	glyph and (manufactur\$3) and ((material)and (action) and (part component instrument\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 16:30
S23	143	(glyph and (manufactur\$3) and ((material)and (action) and (part component instrument\$4))) and (instruction command)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 16:30
S24	60	((glyph and (manufactur\$3) and ((material)and (action) and (part component instrument\$4))) and (instruction command)) and ((display\$3 input\$4) with (instruction command))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 16:31
S25	61	((glyph and (manufactur\$3) and ((material)and (action) and (part component instrument\$4))) and (instruction command)) and ((receiving input\$4) with (instruction command))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 16:31
S26	2	(((glyph and (manufactur\$3) and ((material)and (action) and (part component instrument\$4))) and (instruction command)) and ((receiving input\$4) with (instruction command))) and ((display\$3 translat\$3) with (instruction command) with (glyph))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 16:31
S27	15	(((glyph and (manufactur\$3) and ((material)and (action) and (part component instrument\$4))) and (instruction command)) and ((receiving input\$4) with (instruction command))) and ((display\$3 translat\$3) with (glyph))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 08:32
S28	12	(input\$4) with (instruction command text) with (language) with (convert\$3 translat\$3) with (glyph symbol)	US-PGPUB; USPAT	OR	ON	2004/06/09 15:22

6/19/06 10:44:41 AM C:\Documents and Settings\TZhou\My Documents\EAST\Workspaces\10\10007358.wsp Page 3

S29	0	(input\$4) with (instruction command text) with (convert\$3 translat\$3) with ("to" "into" "in to") with (glyph symbol)	US-PGPUB; USPAT	OR	ON	2004/06/09 15:23	
S30	174	(input\$4) with (instruction command text) with (convert\$3 translat\$3) with (glyph symbol)	US-PGPUB; USPAT	OR	ON	2004/06/09 15:23	
S31	100	((input\$4) with (instruction command text) with (convert\$3 translat\$3) with (glyph symbol)) and (language nation\$5)	US-PGPUB; USPAT	OR	ON	2004/06/09 15:42	
S32	5465	"instruction manual"	US-PGPUB; USPAT	OR	ON	2004/06/09 15:42	
S33	2	"instruction manual" and ((translat\$3 convert\$3) with (glyph))	US-PGPUB; USPAT	OR	ON	2004/06/09 15:43	
S34	18	"instruction manual" and ((translat\$3 convert\$3) with (glyph symbol))	US-PGPUB; USPAT	OR	ON	2004/06/09 16:00	
S35	6	("5404450" "5412771" "5416898" "5533174" "5579030" "5586241").PN.	USPAT	OR	OFF	2004/06/09 16:01	
S36	4061	((input\$4 choos\$3 chosen chosen select\$3) with (language)) and ((convert\$3 translat\$3 transform\$3 chang\$3) with (glyph symbol icon image))	US-PGPUB; USPAT	OR	ON	2004/06/09 16:12	
S37	2536	((input\$4 choos\$3 chosen chosen select\$3) near5(language)) and ((convert\$3 translat\$3 transform\$3 chang\$3) with (glyph symbol icon image))	US-PGPUB; USPAT	OR	ON	2004/06/09 16:12	
S38	1603	((input\$4 choos\$3 chosen chosen select\$3) near2 (language)) and ((convert\$3 translat\$3 transform\$3 chang\$3) with (glyph symbol icon image))	US-PGPUB; USPAT	OR	ON	2004/06/09 16:12	
S39	1094	((choos\$3 chosen chosen select\$3) near2 (language)) and ((convert\$3 translat\$3 transform\$3 chang\$3) with (glyph symbol icon image))	US-PGPUB; USPAT	OR	ON	2004/06/09 16:13	
S40	380	((choos\$3 chosen chosen select\$3) near2 (language)) and ((convert\$3 translat\$3 transform\$3 chang\$3)with (input text command instruction) with (glyph symbol icon image))	US-PGPUB; USPAT	OR	ON	2004/06/09 16:13	

S41	3	((choos\$3 chosen chosen select\$3) near2 (language)) and ((convert\$3 translat\$3 transform\$3 chang\$3)with (input text command instruction) with (glyph))	US-PGPUB; USPAT	OR	ON	2004/06/09 16:14
S42	90	((choos\$3 chosen chosen select\$3) near2 (language)) and ((convert\$3 translat\$3 transform\$3 chang\$3)with (input text command instruction) with (glyph symbol))	US-PGPUB; USPAT	OR	ON	2004/06/09 16:16
S84	4	(glyph) with (arrangement sequence) with (perform\$4 understand\$3) with (process instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 09:48
S85	124	(creat\$3 arrang\$5 display\$3) with (instruction process) with (glyph)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 09:49
S86	0	(creat\$3 arrang\$5 display\$3) with (instruction manual guide) with (glyph) with (user) with (perform\$4) with (process task project)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 09:50
S87	0	(creat\$3 arrang\$5 display\$3) with (instruction manual guide sequence arrangement) with (glyph) with (user) with (perform\$4 conduct\$3 understand\$3) with (process task project)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:44
S88	17	("20050015279" "2004015334" "20030236683" "6601034" "20020095313" "5946659").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 11:58
S89	8	("20040130572" "20040250214" "20040255270" "20050033713"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 12:37
S90	79	(creat\$3 generat\$3) with (instruction manual guide) with (glyph)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 12:37
S91	91	(creat\$3 generat\$3) with (instruction command manual guide) with (glyph)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/31 12:37

			·			
S92	38	(creat\$3 generat\$3) with (instruction command manual guide) with (glyph) with (sequence process string list\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 11:30
S93	0	(creat\$3 generat\$3 arrang\$5) with (instruction command process task) with (sequence) with (image icon glyph) with (perform\$3) with (user) with (language nationality)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 11:34
S94	8	(creat\$3 generat\$3 arrang\$5) with (instruction command process task) with (sequence) with (image icon glyph) with (user) with (language nationality)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 11:32
S95	23	(creat\$3 generat\$3 arrang\$5) with (instruction command process task) with (sequence) with (image icon glyph) with (perform\$3) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 11:35
S96	23	S95 not S94	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 12:30
S97	2	"20020163544".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 13:01
S98	586	(715/705,771,836).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 13:10
S99	1090	(715/764).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 13:04
S10 0	25	(S98 S99) and (glyph)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 13:10
S10 1	1	((action) and (material) and (instrument\$5) and glyph and instruction and language).clm.	US-PGPUB	OR	ON	2006/06/01 13:10
S10 2	1250	(715/705,771,835,865).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 13:10

		Ţ		· ~		
S10 3	32	(S102 S99) and (glyph)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/01 13:10
S10 4	14	(glyph and instruction and language).clm.	US-PGPUB	OR	ON	2006/06/01 13:13
S10 5	1	S103 not S100	US-PGPUB	OR	ON	2006/06/01 13:14
S10 6	8	S103 not S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:14
S10 7	1663	(instruction manual guide) with (assembl\$3 build\$3 perform\$3) with (part tool step material) with (device process furniture toy) with (image graphic\$4 glyph picture pictorial visual)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 10:50
S10 8	1321	(instruction) with (assembl\$3 build\$3 perform\$3) with (part tool step material) with (device process furniture toy) with (image graphic\$4 glyph picture pictorial visual)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 10:50
S10 9	1	(instruction) with (assembl\$3 build\$3 perform\$3) with (part material) with (tool instrument\$5) with (step action) with (device process furniture toy) with (image graphic\$4 glyph picture pictorial visual)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 10:51
S11 0	1	(instruction guide manual) with (assembl\$3 build\$3 perform\$3) with (part material) with (tool instrument\$5) with (step action) with (device process furniture toy) with (image graphic\$4 glyph picture pictorial visual)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 10:51
S11 1	10	(instruction guide manual) with (user person) with (assembl\$3 build\$3 perform\$3) with (part material) with (tool instrument\$5 step) with (device process furniture toy) with (image graphic\$4 glyph picture pictorial visual)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 10:59

011				Γ		
S11 2	4	(instruction guide manual) with (user person) with (assembl\$3 build\$3 perform\$3) with (part material tool instrument\$5) with (step) with (device process furniture toy) with (image glyph picture pictorial visual)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 11:03
S11 3	77	(instruction guide manual) with (user person) with (assembl\$3 build\$3 perform\$3) with (part material tool instrument\$5) with (step) with (device process furniture toy)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 11:04
S11 4	7	S113 and ((picture image visual\$3) with (instruction guide manual))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 11:04
S11 5	7	S113 and ((picture image glyph visual\$3) with (instruction guide manual))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 11:05
S11 6	3	S115 not S112	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/08 11:05
S11 7	25	(glyph image symbol) with (correspond\$3 represent\$5) with (part tool step) with (instruction guide manual) with (user person) with (build\$3 built perform\$4 carry\$3 assemble assembling) with (process furniture toy device assembly)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/13 12:32
S11 8	2	"6321243".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:39
S11 9	98	((input\$4 enter\$3) with (command instruction text) with (language) with (select\$3 choos\$3 chos\$3)) and ((translat\$3 convert\$3 convers\$3) with (image glyph icon))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:52

S12 0	58	((input\$4 enter\$3) with (command instruction text) with (language) with (select\$3 choos\$3 chos\$3)) and ((translat\$3 convert\$3 convers\$3) with (command text instruction) with (image glyph icon))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:53
----------	----	---	---	----	----	------------------